



# Maryland HIV/AIDS Quarterly Update

## Third Quarter 2021

Data reported through September 30, 2021  
 Center for HIV Surveillance, Epidemiology and Evaluation  
 Infectious Disease Prevention and Health Services Bureau  
 Prevention and Health Promotion Administration  
 Maryland Department of Health  
<https://phpa.health.maryland.gov/OIDEOR/CHSE/pages/Home.aspx>  
 800-358-9001

**Note.** Data for 2020 should be interpreted with caution due to the impact of the Coronavirus Disease 2019 (COVID-19) pandemic on access to HIV testing and care-related services.

### Table of Contents

<b>Section I – Technical Notes .....</b>	<b>2</b>
<b>Glossary of Terms .....</b>	<b>4</b>
<b>Section II – Reported HIV Diagnoses, Among People Aged 13+, by Jurisdiction.....</b>	<b>7</b>
Table 1 – Reported HIV Diagnoses and Reported AIDS Diagnoses, Among People Aged 13+ During April 1, 2020 through March 31, 2021, by Jurisdiction of Residence at Diagnosis, Reported through September 30, 2021 .....	7
Table 2 – Reported HIV Diagnoses, Among People Aged 13+ During April 1, 2020 through March 31, 2021, Linked to Care, Late Diagnosis, First CD4 Test Result, and Mean Years from HIV Diagnosis by Jurisdiction of Residence at Diagnosis, Reported through September 30, 2021 .....	8
Table 3 – People Aged 13+ Living with Diagnosed HIV, Alive on March 31, 2021, by Jurisdiction of Residence at Diagnosis and Current Residence, Reported through September 30, 2021.....	9
Table 4 – CD4 Test Results During April 1, 2020 through March 31, 2021 for People Aged 13+ Living with Diagnosed HIV, Alive on March 31, 2021, by Jurisdiction of Current Residence, Reported through September 30, 2021 .....	10
Table 5 – Viral Load Test Results During April 1, 2020 through March 31, 2021 for People Aged 13+ Living with Diagnosed HIV, Alive on March 31, 2021, by Jurisdiction of Current Residence, Reported through September 30, 2021 .....	11

## Section I – Technical Notes

### HIV/AIDS Reporting

The Maryland HIV/AIDS Reporting Act of 2007 requires that people living with diagnosed HIV be reported by name to MDH. As per the reporting requirements of Health-General Articles 18-201.1, 18-202.1, and 18-205 of the Annotated Code of Maryland, as specified in the Code of Maryland Regulations (COMAR) 10.18.02, physicians are required to report patients in their care with diagnoses of HIV or AIDS and infants born to mothers living with HIV, clinical and infection control practitioners in medical and correctional facilities are required to report patients in the care of the institution with diagnoses of HIV or AIDS, and laboratory directors are required to report all HIV diagnostic and HIV-related monitoring test results, including HIV negative test results.

### Data Specifications

Surveillance is the ongoing systematic collection, analysis, interpretation, and dissemination of data. Data are collected on all people with HIV who were residents of the state of Maryland or received HIV care in Maryland. Data are presented for people who were Maryland residents at the time of their HIV diagnosis and for people who were living with HIV and were current residents of Maryland as of March 31, 2021.

Data presented were reported to the MDH through September 30, 2021. Reported new diagnoses and estimates of people living with diagnosed HIV are as of March 31, 2021.

This report presents data with a six-month reporting delay. This lag allows for time to report case and laboratory data and to complete investigations. Due to reporting delays, estimates by exposure category and mortality are preliminary.

Please read all table titles and footnotes carefully to ensure a complete understanding of the displayed data. A glossary of terms is also available.

### COVID-19 and HIV Surveillance Data

Data for 2020 should be interpreted with caution due to the impact of the COVID-19 pandemic on access to HIV testing and care-related services.

The following HIV morbidity estimates may have been affected by the COVID-19 pandemic in 2020.

- Incidence (new HIV infections or transmissions) estimates might be lower due to significant declines in the number of new HIV diagnoses.
- Declines in HIV diagnoses might not represent declines in new HIV infections, but rather decreases and/or delays in testing or changes in testing modality (e.g., self-testing).
- Caution should be used when interpreting prevalence (people living with HIV) estimates. Fewer HIV diagnoses and more deaths (resulting in lower prevalence) may be due to COVID-19 and not HIV activities.
- Declines in linkage to care, retention in care, and viral suppression estimates may be due to lack of laboratory testing during care visits (e.g., telemedicine) and/or changes in testing modality (e.g., self-testing).

### AIDS Diagnoses

CD4+ T-lymphocyte tests are measures of a person's immune system function. An adult living with diagnosed HIV is considered to have AIDS if they have less than 200 CD4+ cells per microliter of blood, if the percent of T-Lymphocyte cells that are CD4+ is less than 14 percent, or if a person has been diagnosed with an opportunistic infection.

### Mortality

People are assumed to be alive unless reported as deceased. Caution should be exercised when interpreting mortality estimates for recent years due to delays in reporting of non-AIDS deaths and out-of-state deaths. Most deaths are reported within two years.

### Engagement in HIV Care

Treatment recommendations are that a person in HIV medical care should have their CD4 and viral load levels measured regularly, at least once per year. The presence of these lab tests is used as an indicator that someone has been "linked to care" after diagnosis or is "retained in care."

### Viral Suppression

Viral load tests are measures of the amount of HIV in a person's body. The goal of HIV treatment is to have a low number of copies of virus per milliliter of blood, below what the test can measure, which is called an undetectable level. Low levels of viral load, such as less than 200 copies per milliliter of blood, is known as viral suppression. Estimates of viral suppression among people living with diagnosed HIV are inclusive of people diagnosed in the specified year; therefore,

they may not have had sufficient time to engage in HIV care and/or achieve viral suppression.

### Geographic Distribution

Residence at diagnosis is used exclusively to describe new diagnoses. Statistics describing the number of people living with diagnosed HIV use current residence. Current residence numbers are restricted to people for which there is a case report form or laboratory test reported since January 1, 2009.

Restricting address data to recent years presents the most accurate data available and helps to account for people that may have moved out of state whose data would no longer be reported in Maryland. However, current residence data excludes people that may still be residents of Maryland but have not received any HIV care since prior to 2009. In addition, residence is dynamic and people living with diagnosed HIV may have resided at multiple addresses that cannot all be represented in single time point estimates.

### Residents of Correctional Facilities

New diagnoses of HIV and people living with diagnosed HIV who were reported to be residing in local jails or detention centers are presented, whenever possible, as residing at their home address. New diagnoses of HIV and people living with diagnosed HIV who were reported to be residing in a state or federal prison in Maryland are presented in residing in a separate "Corrections" jurisdiction.

### Sources of Data

Information on HIV and AIDS diagnoses, including residence, vital status, and CD4 and HIV viral load test results are from MDH's Enhanced HIV/AIDS Reporting System (eHARS), as of March 31, 2021.

### Tabulation of Column Totals

Numbers in figures, tables and generally in the text have been rounded. Discrepancies in tables between totals and sums of components are due to rounding.

### Data Suppression

In order to protect the confidentiality of people living with HIV, data are suppressed in the following instances:

- Data describing a demographic group or geographic area (e.g. ZIP code) with a population less than 1,000 people.
- All clinical/laboratory information if it is describing less than five people.
- If any cell is suppressed, additional cells are also suppressed as necessary to prevent back calculation of the suppressed cell(s).

Tables presenting clinical/laboratory information for reported new diagnoses by ZIP code will present only ZIP codes with at least five people. Exposure/risk data is not suppressed due to statistical adjustments resulting in the presentation of estimated or probable risk.

## Glossary of Terms

**CD4 Result Distribution (<200, 200-349, 350-499, 500+):** Percent of people living with diagnosed HIV with a CD4 test distributed by their CD4 count results (cells per microliter).

**CD4 With Test:** Number and percent of total people aged 13+ living with diagnosed HIV with a recent CD4 test result.

**Corrections:** Residence in a state or federal prison. Does not include local jails and detention centers.

**Current Residence:** Jurisdiction of residence from the most recent report since January 1, 2009.

**First CD4 Test Result Median Count:** Median CD4 count (cells per microliter) of the first CD4 test result reported within 12 months following initial HIV diagnosis.

**First CD4 Test Result Percent with Test:** Percent of reported HIV diagnoses among people aged 13+ with the first CD4 test result reported within 12 months following the initial HIV diagnosis.

**Jurisdiction of Current Residence:** Jurisdiction of residence from the most recent report since January 1, 2009.

**Jurisdiction of Residence:** Jurisdiction of residence at diagnosis or current residence.

**Jurisdiction of Residence at AIDS Diagnosis:** Jurisdiction of residence at time of initial AIDS diagnosis.

**Jurisdiction of Residence at Diagnosis:** Jurisdiction of residence at the later time of initial HIV diagnosis or time of initial AIDS diagnosis.

**Jurisdiction of Residence at HIV Diagnosis:** Jurisdiction of residence at time of initial HIV diagnosis.

**Late HIV Diagnosis:** Percent of adult/adolescent reported HIV diagnoses with an initial AIDS diagnosis less than or equal to 3 months after their initial HIV diagnosis.

**Linked to Care:** Percent of adult/adolescent reported HIV diagnoses with a reported CD4 or viral load test performed less than or equal to 1 month or 3 months after their initial HIV diagnosis.

**People Aged 13+ Living with Diagnosed HIV:** Reported HIV diagnoses, age 13 years or older as of March 31, 2021 and not reported to have died as of September 30, 2021.

**People Living with Diagnosed HIV:** Reported HIV diagnoses not reported to have died as of September 30, 2021.

**Median Count:** Median CD4 count (cells per microliter), among total people aged 13+ living with diagnosed HIV, of the most recent CD4 test result measured in the specified year.

**Median Unsuppressed:** Median unsuppressed viral load (copies per milliliter) among people aged 13+ living with diagnosed HIV of the most recent viral load test result measured in the specified year of 200 copies per milliliter or greater.

**Percent Change:** The percent change in number of total people aged 13+ living with diagnosed HIV from residence at diagnosis to current residence.

**Percent Late HIV Diagnosis:** Percent of adult/adolescent reported AIDS diagnoses with an initial HIV diagnosis less than or equal to 3 months prior to their initial AIDS diagnosis.

**Percent Suppressed:** Percent of total people aged 13+ living with diagnosed HIV with a recent viral load test result measured in the specified year of less than 200 copies per milliliter.

**Population:** Population estimate for July 1, 2020.

**Population Age 13+:** Population age 13 years or older, estimate for July 1, 2020.

**Rate:** Number of people living with diagnosed HIV divided by the population and multiplied by 100,000.

**Ratio (1 in X):** Number of people for every 1 person living with diagnosed HIV in the population, or 1 person living with diagnosed HIV in every X number of people.

**Recent CD4 Test Result:** The most recent CD4 test result measured in the specified year.

**Recent Viral Load Test Result:** The most recent viral load test result measured in the specified year.

**Reported AIDS Diagnoses Among People Aged 13+:** Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with an initial AIDS diagnosis during the specified year.

**Reported HIV Diagnoses Among People Aged 13+:** Reported HIV diagnoses, age 13 years or older at HIV diagnosis, with an initial HIV diagnosis during the specified year.

**Residence at Diagnosis:** Jurisdiction of residence at later time of initial HIV diagnosis or initial AIDS diagnosis.

**Total People Aged 13+ Living with Diagnosed HIV:** Reported HIV diagnoses, age 13 years or older as of March 31, 2021 not reported to have died as of September 30, 2021.

**Viral Load With Test:** Number and percent of total people aged 13+ living with diagnosed HIV with a recent viral load test result.

## **Maryland Department of Health Non-Discrimination Statement**

The Maryland Department of Health (MDH) complies with applicable Federal civil right laws and does not discriminate on the basis of race, color, national origin, age, disability in its health programs and activities.

### **English**

Help is available in your language: 410-767-5227 (TTY: 800-735-2258). These services are available for free.

### **Español/Spanish**

Hay ayuda disponible en su idioma: 410-767-5227 (TTY: 800-735-2258). Estos servicios están disponibles gratis.

### **中文/Chinese**

用您的语言为您提供帮助: 410-767-5227 (TTY: 800-735-2258). 这些服务都是免费的

**Suggested Citation:** Maryland HIV/AIDS Quarterly Update, Third Quarter 2021. Baltimore, MD: Center for HIV Surveillance, Epidemiology and Evaluation, Infectious Disease Prevention and Health Services Bureau, Prevention and Health Promotion Administration, Maryland Department of Health. October 2021.

## Section II – Reported HIV Diagnoses, Among People Aged 13+, by Jurisdiction

Table 1 – Reported HIV Diagnoses and Reported AIDS Diagnoses, Among People Aged 13+ During April 1, 2020 through March 31, 2021, by Jurisdiction of Residence at Diagnosis, Reported through September 30, 2021

Jurisdiction of Residence at Diagnosis	Population Age 13+	Reported HIV Diagnoses Among People Aged 13+			Reported AIDS Diagnoses Among People Aged 13+		
		No.	% of Total	Rate	No.	% of Total	Rate
Allegany	61,487	2	0.3%	3.3	1	0.2%	1.6
Anne Arundel	488,915	45	6.2%	9.2	17	4.2%	3.5
Baltimore City	498,775	172	23.6%	34.5	96	23.9%	19.2
Baltimore	697,539	95	13.0%	13.6	42	10.5%	6.0
Calvert	78,372	4	0.5%	5.1	2	0.5%	2.6
Caroline	27,860	1	0.1%	3.6	2	0.5%	7.2
Carroll	143,470	4	0.5%	2.8	3	0.7%	2.1
Cecil	87,352	3	0.4%	3.4	3	0.7%	3.4
Charles	136,982	22	3.0%	16.1	10	2.5%	7.3
Dorchester	27,124	1	0.1%	3.7	0	0.0%	0.0
Frederick	221,788	14	1.9%	6.3	6	1.5%	2.7
Garrett	25,235	0	0.0%	0.0	0	0.0%	0.0
Harford	216,746	9	1.2%	4.2	8	2.0%	3.7
Howard	272,971	14	1.9%	5.1	8	2.0%	2.9
Kent	17,134	2	0.3%	11.7	1	0.2%	5.8
Montgomery	879,817	90	12.3%	10.2	54	13.5%	6.1
Prince George's	761,933	217	29.8%	28.5	127	31.7%	16.7
Queen Anne's	43,732	2	0.3%	4.6	1	0.2%	2.3
Saint Mary's	95,244	5	0.7%	5.2	3	0.7%	3.1
Somerset	22,345	3	0.4%	13.4	2	0.5%	9.0
Talbot	32,289	3	0.4%	9.3	1	0.2%	3.1
Washington	128,052	7	1.0%	5.5	8	2.0%	6.2
Wicomico	87,648	12	1.6%	13.7	5	1.2%	5.7
Worcester	46,118	2	0.3%	4.3	1	0.2%	2.2
Corrections	--	0	0.0%	--	0	0.0%	--
<b>Total</b>	<b>5,098,929</b>	<b>729</b>	<b>100.0%</b>	<b>14.4</b>	<b>401</b>	<b>100.0%</b>	<b>7.9</b>

Table 2 – Reported HIV Diagnoses, Among People Aged 13+ During April 1, 2020 through March 31, 2021, Linked to Care, Late Diagnosis, First CD4 Test Result, and Mean Years from HIV Diagnosis by Jurisdiction of Residence at Diagnosis, Reported through September 30, 2021

Jurisdiction of Residence at HIV Diagnosis	Reported HIV Diagnoses Among People Aged 13+					
	No.	Linked to Care		% Late HIV Diagnoses	First CD4 Test Result	
		% 1 mo.	% 3 mo.		% with Test	Median Count
Allegany	2	***	***	***	***	***
Anne Arundel	45	77.1%	85.7%	22.9%	91.4%	477
Baltimore City	172	85.6%	92.2%	13.9%	92.8%	455
Baltimore	95	85.7%	92.3%	17.6%	94.5%	428
Calvert	4	***	***	***	***	***
Caroline	1	***	***	***	***	***
Carroll	4	***	***	***	***	***
Cecil	3	***	***	***	***	***
Charles	22	83.3%	94.4%	***	88.9%	402
Dorchester	1	***	***	***	***	***
Frederick	14	92.9%	100.0%	***	100.0%	271
Garrett	0	--	--	--	--	--
Harford	9	90.9%	90.9%	54.5%	90.9%	124
Howard	14	93.8%	93.8%	***	93.8%	452
Kent	2	***	***	***	***	***
Montgomery	90	89.9%	94.9%	25.3%	97.5%	390
Prince George's	217	89.6%	92.3%	29.7%	92.8%	317
Queen Anne's	2	***	***	***	***	***
Saint Mary's	5	***	***	***	***	***
Somerset	3	***	***	***	***	***
Talbot	3	***	***	***	***	***
Washington	7	77.8%	77.8%	55.6%	100.0%	198
Wicomico	12	92.9%	100.0%	***	92.9%	333
Worcester	2	***	***	***	***	***
Corrections	0	--	--	--	--	--
<b>Total</b>	<b>729</b>	<b>87.2%</b>	<b>92.5%</b>	<b>23.5%</b>	<b>93.6%</b>	<b>396</b>

\*\*\* Data withheld due to low population counts and/or small numbers

**Table 3 – People Aged 13+ Living with Diagnosed HIV, Alive on March 31, 2021, by Jurisdiction of Residence at Diagnosis and Current Residence, Reported through September 30, 2021**

Jurisdiction of Residence	Population Age 13+	Total People Aged 13+ Living with Diagnosed HIV								
		Residence at Diagnosis				Current Residence				% Change
		No.	% of Total	Rate	Ratio (1 in X)	No.	% of Total	Rate	Ratio (1 in X)	
Allegany	61,487	94	0.3%	152.9	654	99	0.3%	161.0	621	5.3%
Anne Arundel	488,915	1,337	4.1%	273.5	366	1,350	4.3%	276.1	362	1.0%
Baltimore City	498,775	11,955	36.2%	2,396.9	42	10,513	33.4%	2,107.8	47	-12.1%
Baltimore	697,539	3,290	10.0%	471.7	212	3,603	11.4%	516.5	194	9.5%
Calvert	78,372	114	0.3%	145.5	687	137	0.4%	174.8	572	20.2%
Caroline	27,860	68	0.2%	244.1	410	66	0.2%	236.9	422	-2.9%
Carroll	143,470	154	0.5%	107.3	932	152	0.5%	105.9	944	-1.3%
Cecil	87,352	129	0.4%	147.7	677	154	0.5%	176.3	567	19.4%
Charles	136,982	516	1.6%	376.7	265	656	2.1%	478.9	209	27.1%
Dorchester	27,124	126	0.4%	464.5	215	152	0.5%	560.4	178	20.6%
Frederick	221,788	379	1.1%	170.9	585	495	1.6%	223.2	448	30.6%
Garrett	25,235	10	0.0%	39.6	2,524	15	0.0%	59.4	1,682	50.0%
Harford	216,746	468	1.4%	215.9	463	530	1.7%	244.5	409	13.2%
Howard	272,971	622	1.9%	227.9	439	700	2.2%	256.4	390	12.5%
Kent	17,134	40	0.1%	233.4	428	51	0.2%	297.6	336	27.5%
Montgomery	879,817	4,161	12.6%	472.9	211	3,614	11.5%	410.8	243	-13.1%
Prince George's	761,933	7,921	24.0%	1,039.6	96	7,882	25.0%	1,034.5	97	-0.5%
Queen Anne's	43,732	57	0.2%	130.3	767	55	0.2%	125.8	795	-3.5%
Saint Mary's	95,244	143	0.4%	150.1	666	155	0.5%	162.7	614	8.4%
Somerset	22,345	76	0.2%	340.1	294	81	0.3%	362.5	276	6.6%
Talbot	32,289	67	0.2%	207.5	482	76	0.2%	235.4	425	13.4%
Washington	128,052	322	1.0%	251.5	398	368	1.2%	287.4	348	14.3%
Wicomico	87,648	256	0.8%	292.1	342	261	0.8%	297.8	336	2.0%
Worcester	46,118	76	0.2%	164.8	607	67	0.2%	145.3	688	-11.8%
Corrections	--	620	1.9%	--	--	241	0.8%	--	--	--
<b>Total</b>	<b>5,098,929</b>	<b>33,001</b>	<b>100.0%</b>	<b>647.2</b>	<b>155</b>	<b>31,473</b>	<b>100.0%</b>	<b>617.2</b>	<b>162</b>	<b>-4.6%</b>

**Table 4 – CD4 Test Results During April 1, 2020 through March 31, 2021 for People Aged 13+ Living with Diagnosed HIV, Alive on March 31, 2021, by Jurisdiction of Current Residence, Reported through September 30, 2021**

Jurisdiction of Current Residence	Total People Aged 13+ Living with Diagnosed HIV								
	No.	Recent CD4 Test Result				<200	200-349	350-499	500+
		No. with Test	% with Test	Median Count					
Allegany	99	87	87.9%	650	5.7%	5.7%	17.2%	71.3%	
Anne Arundel	1,350	918	68.0%	646	5.4%	10.9%	17.2%	66.4%	
Baltimore City	10,513	7,239	68.9%	606	8.6%	12.4%	15.9%	63.1%	
Baltimore	3,603	2,492	69.2%	651	6.2%	10.3%	16.3%	67.3%	
Calvert	137	107	78.1%	662	5.6%	11.2%	15.9%	67.3%	
Caroline	66	51	77.3%	734	7.8%	3.9%	11.8%	76.5%	
Carroll	152	109	71.7%	704	9.2%	5.5%	11.9%	73.4%	
Cecil	154	87	56.5%	629	5.7%	11.5%	20.7%	62.1%	
Charles	656	506	77.1%	681	8.3%	8.7%	13.4%	69.6%	
Dorchester	152	105	69.1%	628	7.6%	10.5%	22.9%	59.0%	
Frederick	495	354	71.5%	651	5.6%	8.8%	12.7%	72.9%	
Garrett	15	14	93.3%	786	14.3%	0.0%	14.3%	71.4%	
Harford	530	343	64.7%	638	7.6%	14.3%	12.8%	65.3%	
Howard	700	519	74.1%	662	5.0%	10.2%	16.0%	68.8%	
Kent	51	39	76.5%	686	7.7%	5.1%	10.3%	76.9%	
Montgomery	3,614	2,481	68.6%	608	6.2%	11.6%	17.0%	65.1%	
Prince George's	7,882	5,855	74.3%	638	6.6%	10.4%	16.1%	66.8%	
Queen Anne's	55	41	74.5%	578	9.8%	22.0%	7.3%	61.0%	
Saint Mary's	155	121	78.1%	636	9.9%	11.6%	9.1%	69.4%	
Somerset	81	62	76.5%	623	4.8%	11.3%	14.5%	69.4%	
Talbot	76	60	78.9%	517	11.7%	18.3%	11.7%	58.3%	
Washington	368	268	72.8%	680	6.7%	7.8%	14.6%	70.9%	
Wicomico	261	193	73.9%	561	8.8%	17.6%	15.0%	58.5%	
Worcester	67	53	79.1%	676	3.8%	3.8%	28.3%	64.2%	
Corrections	241	185	76.8%	697	4.3%	9.2%	16.2%	70.3%	
<b>Total</b>	<b>31,473</b>	<b>22,289</b>	<b>70.8%</b>	<b>629</b>	<b>7.2%</b>	<b>11.2%</b>	<b>16.0%</b>	<b>65.7%</b>	

Table 5 – Viral Load Test Results During April 1, 2020 through March 31, 2021 for People Aged 13+ Living with Diagnosed HIV, Alive on March 31, 2021, by Jurisdiction of Current Residence, Reported through September 30, 2021

Jurisdiction of Current Residence	Total People Aged 13+ Living with Diagnosed HIV				
	No.	Recent Viral Load Test Result			Median Unsuppressed
		No. with Test	% with Test	% Suppressed	
Allegany	99	89	89.9%	91.0%	70,900
Anne Arundel	1,350	961	71.2%	91.4%	9,910
Baltimore City	10,513	7,794	74.1%	88.5%	12,000
Baltimore	3,603	2,679	74.4%	90.6%	8,580
Calvert	137	110	80.3%	96.4%	2,350
Caroline	66	47	71.2%	89.4%	33,170
Carroll	152	109	71.7%	89.9%	97,920
Cecil	154	95	61.7%	90.5%	21,100
Charles	656	498	75.9%	89.8%	14,000
Dorchester	152	114	75.0%	92.1%	27,590
Frederick	495	360	72.7%	94.7%	1,900
Garrett	15	14	93.3%	92.9%	1,200
Harford	530	359	67.7%	93.3%	13,900
Howard	700	533	76.1%	91.6%	6,370
Kent	51	42	82.4%	88.1%	69,450
Montgomery	3,614	2,472	68.4%	92.9%	12,750
Prince George's	7,882	5,845	74.2%	91.0%	6,460
Queen Anne's	55	43	78.2%	93.0%	31,320
Saint Mary's	155	125	80.6%	80.8%	28,381
Somerset	81	65	80.2%	87.7%	12,440
Talbot	76	63	82.9%	95.2%	17,967
Washington	368	264	71.7%	89.8%	22,200
Wicomico	261	200	76.6%	87.5%	8,910
Worcester	67	52	77.6%	94.2%	460
Corrections	241	187	77.6%	90.4%	2,895
<b>Total</b>	<b>31,473</b>	<b>23,120</b>	<b>73.5%</b>	<b>90.4%</b>	<b>9,940</b>